

Face Protector Quotation_Factory/Company

NEW PRICE
NEW ITEM






JM Euro s.r.o.
2022-11-23

| No. | Item | Photo | Code, Spec. | Quotation (부가세미포함) | Qty (MOQ) | Unit | Amount | L/T | Remark |
|-----|------------------------|---|--|-----------------------|--------------|------|----------|------------------|---|
| 1 | Helmet |  | heat resistance from -10 ° C to + 50 ° C electrical insulation up to 440 V easily adjustable circuit size material: polyethylene standard: EN 397 | € 3.27 | 20 | pcs | € 65.40 | 2~4D | Yellow, White, Blue, Red color on stock |
| 2 | Chinstrap for No.1 |  | chin strap for helmet | € 1.71 | 20 | pcs | € 34.20 | 2~4D | |
| 3 | Helmet |  | material ABS with ventilation holes for comfortable wearing the continuous setting of the circuit is regulated by a rotating red wheel comfortable 6-point fabric head cross guarantees excellent helmet stability replaceable front sweatband made of PR cotton, a pleasant and highly absorbent material extreme heat resistance from -20 ° C to + 50 ° C, standard: EN 397 | € 7.66 | 20 | pcs | € 153.16 | 2~4D / 1~1.5W | forehead sweatbank can be supplied |
| 4 | chinstrap for No. 3 |  | chin strap for helmet | € 1.25 | 20 | pcs | € 24.94 | 2~4D | |
| 5 | Shield holder |  | helmet mount with helmet No. 1, No. 3 great variability of accessories | € 5.08 | 10 | pcs | € 50.82 | 1.5~2.5W | |
| 6 | Shield |  | polycarbonate protective visor guarantees maximum protection and high comfort thanks to a wide panoramic field of view size 40 x 22cm, standard: EN 170 lens color: clear | € 5.66 | 10 | PCS | € 56.56 | 1.5~2.5W | shield for Shield Holder No. 5 |
| 7 | helmet holder |  | the hard head shield is compatible with most safety helmets intuitive lens mounting system for quick and easy replacement the locking hinge secures the visor when raising and lowering positions standard: EN 166 | € 26.22 | 5 | PCS | € 131.11 | 1.5~2.5W | most helmet compatible Brand: Honeywell |

Face Protector Quotation_Factory/Company

NEW PRICE
NEW ITEM







JM Euro s.r.o.
2022-11-23

| No. | Item | Photo | Code, Spec. | Quotation (부가세미포함) | Qty (MOQ) | Unit | Amount | L/T | Remark |
|-----|--------------------------|---|--|-----------------------|--------------|------|----------|----------|--|
| 8 | PC visor clear shield |  | space visor for No. 7 material: polycarbonate standard: EN 170 lens color: clear | € 11.72 | 5 | pcs | € 58.59 | 0.5~1.5W | type: clear, Welding, Smoke Brand: Honeywell |
| 9 | Safety Helmet |  | High-density polypropylene shell helmet, 4 points plastic suspension harness. Buckle adjustable size 55-62cm. Soft sweat band included . Electrical insulation up to 1000Vac or 1500Vdc (EN 50365) | € 5.87 | 20 | pcs | € 117.45 | 1~2W | Color: white, yellow, orange, red, blue, green, black |
| 10 | Safety Helmet |  | Size adjustable headband via wheel ratchet system Electrical properties (440Vac) CE-CAT III | € 7.43 | 20 | pcs | € 148.50 | 1~2W | color: White, Yellow, Orange, RED , Blue |
| 11 | Chin Strap |  | Y-style 4-point chin strap Easy to clip-on Buckle size adjustment for easy fitting Chin guard for added comfort and stability Sold in packs of 5 | € 2.89 | 20 | pcs | € 57.78 | 1~2W | 5pcs/pack(MOQ) for No. 9/10 |
| 12 | Safety Helmet |  | Color: Yellow, Royal Blue, White Vented helmet, adapted for working at heights. High wearing comfort polyethylene shell, six points harness and buckle adjustment. Supplied with sweat band and 4 points chin strap(included) (Y style). Materials: PE | € 10.92 | 20 | set | € 218.40 | 1~2W | 턱끈 포함! |

Face Protector Quotation_Factory/Company

NEW PRICE
NEW ITEM

JM Euro s.r.o.
2022-11-23

| No. | Item | Photo | Code, Spec. | Quotation (부가세미포함) | Qty (MOQ) | Unit | Amount | L/T | Remark |
|-----|------------------------------|---|---|-----------------------|--------------|------|----------|----------|--|
| 13 | Endurance Visor Helmet |  | Color: <u>Blue, White, Red, White, Orange, Yellow</u> Vented helmet. ABS shell, textile comfort harness 6 points, wheel ratchet adjustable size, 56-63 cm. Sweat band and chin strap included . Retractable clear visor included Materials: ABS, Polycarbonate | € 12.74 | 20 | set | € 254.80 | 1~2W | Compatible accessories available |
| 14 | 3M Helmet |  | smooth screw adjustment, a plastic sweatband and ventilation . high-quality ABS plastic, resistant to UV rays. Suspension with screw adjustment for smooth adjustment. | € 21.18 | 10 | pcs | € 211.77 | 2~4D | white/blue color on stock Yellow Color better price ! |
| 15 | 3M chinstrap |  | for 3M relevant helmet | € 6.58 | 10 | pcs | € 65.78 | 2~4D | |
| 16 | Safety Helmet for antistatic |  | thermoplastic helmet, six-point fabric cross with clamping wheel resistant to electric shock up to 1000 V - EN 50 365 patented adapter that is part of the helmet standard: EN 50365, EN 397 | € 18.51 | 10 | pcs | € 185.12 | 1~1.5W | color: only blue special offer |
| 17 | chinstrap for No. 16 |  | 2-point chin strap | € 4.19 | 10 | pcs | € 41.86 | 1~1.5W | |
| 18 | sticker for helmet |  | 5*5cm sticker (transparent) , 1 color | € 1.13 | 50 | pcs | € 56.25 | checking | 헬멧 스티커 |
| 19 | name card sticker | | worker info. | € 1.63 | 50 | pcs | € 81.25 | checking | 헬멧용 이름판 |



or Quotation_Factory/Company

NEW PRICE
NEW ITEM

JM Euro s.r.o.
2022-11-23

| | | | Code, Spec. | Quotation (부가세미포함) | Qty (MOQ) | Unit | Amount | L/T | Remark |
|----|--|---|--|-----------------------|--------------|------|---------|----------|----------------------|
| 20 | LED HEAD LIGHT |  | <p>ness 40 lumens me 10 hours batteries included AAA x 3 Function high-medium-flashBeam 8 super bright 8 LED's Tilt control for different working positions CE certified</p> | € 4.75 | 20 | pcs | € 94.90 | 2~4D | |
| 21 | Magnetic USB Rechargeable Helmet Light |  | <p>The Magnetic USB Rechargeable Helmet Light simply attaches to any helmet with its adhesive sticky backing. Light can be easily removed from its magnetic house for charging in any standard USB port. This light has superior visibility in low light conditions.</p> | € 4.42 | 20 | pcs | € 88.40 | 1~2W | |
| 22 | sunglasses |  | <p>standard: EN 170 MO: FT material: polycarbonate marking of lenses: 2 - 1.2 1 FT O lens treatment : UV filter, anti-fog treatment, anti-scratch treatment lens color: yellow</p> | € 1.95 | 20 | pcs | € 38.92 | 0.5~1.5W | |
| 23 | 3M stylish goggles modern design |  | <p>soft flexible pages adjustable page slope material: polycarbonate lens, nylon sides standard: EN 172 MO: FT lens marking: 5 - 2.5 1 FT lens treatment : UV filter, non-fogging treatment, anti-scratch treatment lens color: smoky</p> | € 7.94 | 10 | pcs | € 79.38 | 0.5~1.5W | discount! 길이조정 가능 |
| 24 | HoneyWell Glasses |  | <p>ultralight goggles sports design weight only 22 g material: polycarbonate lens, polycarbonate pages with soft parts standard: EN 170 MO: FT lens marking: 2C - 1.2 1 FT lens treatment : UV filter, non-fogging treatment, anti-scratch treatment lens color: clear</p> | € 3.95 | 10 | pcs | € 39.48 | 0.5~1.5W | |

Face Protector Quotation_Factory/Company

NEW PRICE
NEW ITEM

JM Euro s.r.o.
2022-11-23

| No. | Item | Photo | Code, Spec. | Quotation (부가세미포함) | Qty (MOQ) | Unit | Amount | L/T | Remark |
|-----|---|---|--|-----------------------|--------------|------|----------|----------|----------|
| 25 | adjustable Glasses |  | adjustable pages with SoftPad technology lens with FLD technology (floating lens) patented nasal bridge made of analgesic material with height adjustment system of quick exchange of elastic band and visor easy installation of rubber seals correction version available (caliber: 55 21) version with seal certified according to standard EN 166 point 2 (drop and arrow) | € 9.87 | 10 | pcs | € 98.70 | 0.5~1.5W | 길이 조정 가능 |
| 26 | Welding Helmet |  | self-darkening welding helmet powered by solar cells and lithium battery blackout range 9-13 adjustable degree of blackout adjustable switching time standard: EN 379 1/2/1, EN 175 material: polyamide color: black | € 42.35 | 3 | pcs | € 127.06 | 2~4D | |
| 27 | Welding Helmet |  | Auto-darkening welding helmet, which switches from a light to dark state when welding activity starts. Light state is DIN 4; Dark state is adjustable from DIN 9 to DIN 13 using the external knob. Response time from light to dark state is 0.04 milliseconds; return from dark to clear state in 0.03-0.04 sec. Power is supplied by solar cells with 2 built-in lithium batteries to offer power back-up for longer service life. No need for replacement batteries. | € 46.67 | 6 | pcs | € 280.02 | 1~2W | |
| 28 | Welding Safety Spectacles (Polycarbonate) |  | Multipurpose Shade 5 lens with lateral protection and adjustable arms for customised comfort. Features Single panoramic lens glasses Extendable side arms for secure and comfortable fit Excellent side protection Moulded side shield and browguard for optimised protection against impacts | € 4.76 | 10 | pcs | € 47.60 | 1~2W | |




Face Protector Quotation_Factory/Company

NEW PRICE

NEW ITEM

JM Euro s.r.o.





2022-11-23

| No. | Item | Photo | Code, Spec. | Quotation (부가세미포함) | Qty (MOQ) | Unit | Amount | L/T | Remark |
|-----|---------------------------------|---|--|-----------------------|--------------|------|----------|----------|--------|
| 29 | 3M Full Face Mask - 6000 Series |  | full face mask with two filters provides a more balanced seal than a mask with one heavy filter in the front reduces breathing resistance improves the field of view 3M filter bayonet clamping system for secure and secure filter attachment soft and light elastomeric facial part uses all existing 2000, 5000 series filters and most 6000 series filters | € 114.09 | 2 | pcs | € 228.18 | 0.5~1.5W | |
| 30 | Filter 3M 5911 |  | filter against solid and liquid particles suitable for all 3M 6000 and 7000 series masks a 3M 501 filter holder must be used for separate attachment of 5000 series filters (ie without combination with 6000 series filters) to 3M masks it is necessary to use an additional 3M 603 platform recommended areas of use: construction, stonework, production of drugs and chemicals, agriculture, wood industry | € 2.17 | 100 | pcs | € 217.10 | 0.5~1.5W | |
| 31 | 3M Half mask |  | half mask with two filters provides a more balanced seal than a mask with one heavy filter in the front reduces breathing resistance improves the field of view 3M filter bayonet clamping system for secure and secure filter attachment soft and light elastomeric facial part sizes: S (6100), M (6200), L (6300) | € 17.74 | 5 | pcs | € 88.70 | 0.5~1.5W | |
| 32 | Filter 3M 6051 |  | filter against organic gases and vapors suitable for all 3M 6000 and 7000 series masks recommended areas of application: work with conventional paints, production of means of transport, production and use of paints and inks, processing of adhesives, production and processing of rubber in two variants: classic (F4014) and with life indicator (F4014 / i) the price is for 1 pair | € 10.41 | 10 | pair | € 104.09 | 0.5~1.5W | |

Face Protector Quotation_Factory/Company

NEW PRICE
NEW ITEM

JM Euro s.r.o.
2022-11-23

| No. | Item | Photo | Code, Spec. | Quotation (부가세미포함) | Qty (MOQ) | Unit | Amount | L/T | Remark |
|-----|-----------------------------------|---|--|-----------------------|--------------|------|------------|--------|--|
| 33 | Filter 3M 2138 |  | <p>filter against liquid and solid particles with activated carbon</p> <p>protection against organic and acid gases and vapors under NPK-P and ozone suitable for all 3M 6000 and 7000 series masks</p> <p>recommended areas of use: chemical industry, pharmaceutical industry, wood production, food industry</p> <p>price listed is for 1 pair</p> | € 9.64 | 50 | pair | € 481.88 | 1~1.5W | |
| 34 | welding apron |  | <p>split cowleather welding bib apron(60*91cm)</p> <p>EN ISO 11611:2015 CLASS 2/A1+A2</p> <p>TÜV BP 60132827 0001</p> <p>TÜV 60150123 001</p> <p>KEVLAR® 3 ply</p> <ul style="list-style-type: none"> - Side split cow leather - Leather thickness: min. 1 mm. - Self-balancing strap system | € 29.92 | 10 | pcs | € 299.20 | 1~2W | various type of high quality apron JM Euro can supply |
| 35 | black fiber glass welding blanket |  | <p>Color: Black</p> <p>spec.: 1.83M(witdh)*45Meter, Roll Type</p> <p>made of silica fabric at ± 800 grams/m²</p> <p>intended to withstand a temperature of ± 550°C</p> | € 1,120.28 | 1 | roll | € 1,120.28 | 1~1.5W | 롤 커팅 후 소량판 매도 가능함 불티방지포(롤) TUV test Report |
| 36 | gold fiber glass welding blanket |  | <ul style="list-style-type: none"> - This welding blanket is made of fiberglass at ± 1.000 grams/m², with a gold/yellow color coating with on one side acryl coating and on the other side neoprene coating. - This welding blanket is intended to withstand a temperature of ± 550°C. - The welding blankets which are made of gold fiber glass | € 1,374.49 | 1 | roll | € 1,374.49 | 1~1.5W | ISO 9150:1988-12 TÜV 21278287 001 |

Face Protector Quotation_Factory/Company

NEW PRICE
NEW ITEM

JM Euro s.r.o.
2022-11-23

| No. | Item | Photo | Code, Spec. | Quotation (부가세미포함) | Qty (MOQ) | Unit | Amount | L/T | Remark |
|-----|----------------------------------|---|--|-----------------------|--------------|------|-----------|--------------|---|
| 37 | 3M™ EAR™ Banded plugs |  | <ul style="list-style-type: none"> • 26 dB • Maximum comfort • Foam plugs are replaceable for better hygiene and greater savings and can be ordered separately (3M™ 1311) Unrivaled flexibility 3M™ elastic band 1310 helps maintain constant pressure, regardless of head size . | € 1.99 | 20 | pcs | € 39.76 | 0.5~1.5W | |
| 38 | earplugs |  | earplugs with rounded front end soft PU foam, low pressure on the wall of the ear canal earplug with connecting thread | € 0.38 | 100 | pcs | € 37.50 | ? | |
| 39 | earplugs |  | earplugs with rounded front end soft PU foam, low pressure on the ear canal wall material: polyurethane foam, color: yellow standard: EN 352-2, SNR attenuation: 36 dB | € 0.12 | 100 | pair | € 12.00 | ? | |
| 40 | Ear Plug Dispenser Refill Pack |  | Disposable ear plugs made from soft PU foam. Easy to fit Excellent attenuation rate CE certified. CE-CAT III This product is sold in inner boxes 500pair/pack | € 41.47 | 1 | pack | € 41.47 | Mid. of Nov. | |
| 41 | Ear Plug + Dispenser Refill Pack |  | Plastic dispenser with 500 pairs of ear plugs included Wall mountable for secure storage Easy to use turn wheel to dispense ear plugs Can stand on even surfaces | € 76.05 | 1 | SET | € 76.05 | 1~1.5W | Honeywell dispenser with earplug package 1 set same price ! |
| 42 | shell hearing protector |  | material: stainless steel wire, PVC, acetate, ABS, polyether standard: EN 352-1 SNR attenuation: 27 dB | € 17.02 | 5 | pcs | € 85.12 | 0.5~1.5W | 3M Peltor 헬멧 탈착용 공급함 |
| | discount | | | | 1 | time | -€ 355.70 | | 3,000€~ : 5% |

Face Protector Quotation_Factory/Company

NEW PRICE
NEW ITEM

JM Euro s.r.o.
2022-11-23

| No. | Item | Photo | Code, Spec. | Quotation (부가세미포함) | Qty (MOQ) | Unit | Amount | L/T | Remark |
|-----|-----------------|-------|--|-----------------------|--------------|------|---------|-----|--|
| | Delivery Charge | | To Slovakia/ Hungary/ Poland/ Czech 10€/BOX ~ 120€/PALLET express 단독차량 160~190€ 1DAY | € 35.00 | 1 | Ship | € 35.00 | | 1,000€~ : Free (부피)중량물 제외 (예:보루, 헬멧,라바콘 등) |

EXW Trnava(SK)

€ 6,793.30

Payment : In Advance

If the qty is changed , probably the price will be changed

Leading Time; counting after payment confirmation

<https://www.jmeuro.com/faceprotector>

Face Protector Quotation_Factory/Company

NEW PRICE
NEW ITEM






JM Euro s.r.o.
2022-11-23

| No. | Item | Photo | Code, Spec. | Quotation (부가세미포함) | Qty (MOQ) | Unit | Amount | L/T | Remark |
|-----|------------------------|---|--|-----------------------|--------------|------|----------|------------------|---|
| 1 | Helmet |  | heat resistance from -10 ° C to + 50 ° C electrical insulation up to 440 V easily adjustable circuit size material: polyethylene standard: EN 397 | € 3.27 | 20 | pcs | € 65.40 | 2~4D | Yellow, White, Blue, Red color on stock |
| 2 | Chinstrap for No.1 |  | chin strap for helmet | € 1.71 | 20 | pcs | € 34.20 | 2~4D | |
| 3 | Helmet |  | material ABS with ventilation holes for comfortable wearing the continuous setting of the circuit is regulated by a rotating red wheel comfortable 6-point fabric head cross guarantees excellent helmet stability replaceable front sweatband made of PR cotton, a pleasant and highly absorbent material extreme heat resistance from -20 ° C to + 50 ° C, standard: EN 397 | € 7.66 | 20 | pcs | € 153.16 | 2~4D / 1~1.5W | forehead sweatbank can be supplied |
| 4 | chinstrap for No. 3 |  | chin strap for helmet | € 1.25 | 20 | pcs | € 24.94 | 2~4D | |
| 5 | Shield holder |  | helmet mount with helmet No. 1, No. 3 great variability of accessories | € 5.08 | 10 | pcs | € 50.82 | 1.5~2.5W | |
| 6 | Shield |  | polycarbonate protective visor guarantees maximum protection and high comfort thanks to a wide panoramic field of view size 40 x 22cm, standard: EN 170 lens color: clear | € 5.66 | 10 | PCS | € 56.56 | 1.5~2.5W | shield for Shield Holder No. 5 |
| 7 | helmet holder |  | the hard head shield is compatible with most safety helmets intuitive lens mounting system for quick and easy replacement the locking hinge secures the visor when raising and lowering positions standard: EN 166 | € 26.22 | 5 | PCS | € 131.11 | 1.5~2.5W | most helmet compatible Brand: Honeywell |

Face Protector Quotation_Factory/Company

NEW PRICE
NEW ITEM

JM Euro s.r.o.
2022-11-23

| No. | Item | Photo | Code, Spec. | Quotation (부가세미포함) | Qty (MOQ) | Unit | Amount | L/T | Remark |
|-----|--------------------------|---|--|-----------------------|--------------|------|----------|----------|--|
| 8 | PC visor clear shield |  | space visor for No. 7 material: polycarbonate standard: EN 170 lens color: clear | € 11.72 | 5 | pcs | € 58.59 | 0.5~1.5W | type: clear, Welding, Smoke Brand: Honeywell |
| 9 | Safety Helmet |  | High-density polypropylene shell helmet, 4 points plastic suspension harness. Buckle adjustable size 55-62cm. Soft sweat band included . Electrical insulation up to 1000Vac or 1500Vdc (EN 50365) | € 5.87 | 20 | pcs | € 117.45 | 1~2W | Color: white, yellow, orange, red, blue, green, black |
| 10 | Safety Helmet |  | Size adjustable headband via wheel ratchet system Electrical properties (440Vac) CE-CAT III | € 7.43 | 20 | pcs | € 148.50 | 1~2W | color: White, Yellow, Orange, RED , Blue |
| 11 | Chin Strap |  | Y-style 4-point chin strap Easy to clip-on Buckle size adjustment for easy fitting Chin guard for added comfort and stability Sold in packs of 5 | € 2.89 | 20 | pcs | € 57.78 | 1~2W | 5pcs/pack(MOQ) for No. 9/10 |
| 12 | Safety Helmet |  | Color: Yellow, Royal Blue, White Vented helmet, adapted for working at heights. High wearing comfort polyethylene shell, six points harness and buckle adjustment. Supplied with sweat band and 4 points chin strap(included) (Y style). Materials: PE | € 10.92 | 20 | set | € 218.40 | 1~2W | 턱끈 포함! |







Face Protector Quotation_Factory/Company

NEW PRICE

JM Euro s.r.o.

NEW ITEM

2022-11-23

| No. | Item | Photo | Code, Spec. | Quotation (부가세미포함) | Qty (MOQ) | Unit | Amount | L/T | Remark |
|-----|------------------------------|---|---|-----------------------|--------------|------|----------|----------|--|
| 13 | Endurance Visor Helmet |  | Color: <u>Blue, White, Red, White, Orange, Yellow</u> Vented helmet. ABS shell, textile comfort harness 6 points, wheel ratchet adjustable size, 56-63 cm. Sweat band and chin strap included . Retractable clear visor included Materials: ABS, Polycarbonate | € 12.74 | 20 | set | € 254.80 | 1~2W | Compatible accessories available |
| 14 | 3M Helmet |  | smooth screw adjustment, a plastic sweatband and ventilation . high-quality ABS plastic, resistant to UV rays. Suspension with screw adjustment for smooth adjustment. | € 21.18 | 10 | pcs | € 211.77 | 2~4D | white/blue color on stock Yellow Color better price ! |
| 15 | 3M chinstrap |  | for 3M relevant helmet | € 6.58 | 10 | pcs | € 65.78 | 2~4D | |
| 16 | Safety Helmet for antistatic |  | thermoplastic helmet, six-point fabric cross with clamping wheel resistant to electric shock up to 1000 V - EN 50 365 patented adapter that is part of the helmet standard: EN 50365, EN 397 | € 18.51 | 10 | pcs | € 185.12 | 1~1.5W | color: only blue special offer |
| 17 | chinstrap for No. 16 |  | 2-point chin strap | € 4.19 | 10 | pcs | € 41.86 | 1~1.5W | |
| 18 | sticker for helmet |  | 5*5cm sticker (transparent) , 1 color | € 1.13 | 50 | pcs | € 56.25 | checking | 헬멧 스티커 |
| 19 | name card sticker | | worker info. | € 1.63 | 50 | pcs | € 81.25 | checking | 헬멧용 이름판 |



or Quotation_Factory/Company

NEW PRICE
NEW ITEM

JM Euro s.r.o.
2022-11-23

| | | | Code, Spec. | Quotation (부가세미포함) | Qty (MOQ) | Unit | Amount | L/T | Remark |
|----|--|---|--|-----------------------|--------------|------|---------|----------|----------------------|
| 20 | LED HEAD LIGHT |  | <p>ness 40 lumens me 10 hours batteries included AAA x 3 Function high-medium-flashBeam 8 super bright 8 LED's Tilt control for different working positions CE certified</p> | € 4.75 | 20 | pcs | € 94.90 | 2~4D | |
| 21 | Magnetic USB Rechargeable Helmet Light |  | <p>The Magnetic USB Rechargeable Helmet Light simply attaches to any helmet with its adhesive sticky backing. Light can be easily removed from its magnetic house for charging in any standard USB port. This light has superior visibility in low light conditions.</p> | € 4.42 | 20 | pcs | € 88.40 | 1~2W | |
| 22 | sunglasses |  | <p>standard: EN 170 MO: FT material: polycarbonate marking of lenses: 2 - 1.2 1 FT O lens treatment : UV filter, anti-fog treatment, anti-scratch treatment lens color: yellow</p> | € 1.95 | 20 | pcs | € 38.92 | 0.5~1.5W | |
| 23 | 3M stylish goggles modern design |  | <p>soft flexible pages adjustable page slope material: polycarbonate lens, nylon sides standard: EN 172 MO: FT lens marking: 5 - 2.5 1 FT lens treatment : UV filter, non-fogging treatment, anti-scratch treatment lens color: smoky</p> | € 7.94 | 10 | pcs | € 79.38 | 0.5~1.5W | discount! 길이조정 가능 |
| 24 | HoneyWell Glasses |  | <p>ultralight goggles sports design weight only 22 g material: polycarbonate lens, polycarbonate pages with soft parts standard: EN 170 MO: FT lens marking: 2C - 1.2 1 FT lens treatment : UV filter, non-fogging treatment, anti-scratch treatment lens color: clear</p> | € 3.95 | 10 | pcs | € 39.48 | 0.5~1.5W | |

Face Protector Quotation_Factory/Company

NEW PRICE
NEW ITEM





JM Euro s.r.o.
2022-11-23

| No. | Item | Photo | Code, Spec. | Quotation (부가세미포함) | Qty (MOQ) | Unit | Amount | L/T | Remark |
|-----|---|---|--|-----------------------|--------------|------|----------|----------|----------|
| 25 | adjustable Glasses |  | adjustable pages with SoftPad technology lens with FLD technology (floating lens) patented nasal bridge made of analgesic material with height adjustment system of quick exchange of elastic band and visor easy installation of rubber seals correction version available (caliber: 55 21) version with seal certified according to standard EN 166 point 2 (drop and arrow) | € 9.87 | 10 | pcs | € 98.70 | 0.5~1.5W | 길이 조정 가능 |
| 26 | Welding Helmet |  | self-darkening welding helmet powered by solar cells and lithium battery blackout range 9-13 adjustable degree of blackout adjustable switching time standard: EN 379 1/2/1, EN 175 material: polyamide color: black | € 42.35 | 3 | pcs | € 127.06 | 2~4D | |
| 27 | Welding Helmet |  | Auto-darkening welding helmet, which switches from a light to dark state when welding activity starts. Light state is DIN 4; Dark state is adjustable from DIN 9 to DIN 13 using the external knob. Response time from light to dark state is 0.04 milliseconds; return from dark to clear state in 0.03-0.04 sec. Power is supplied by solar cells with 2 built-in lithium batteries to offer power back-up for longer service life. No need for replacement batteries. | € 46.67 | 6 | pcs | € 280.02 | 1~2W | |
| 28 | Welding Safety Spectacles (Polycarbonate) |  | Multipurpose Shade 5 lens with lateral protection and adjustable arms for customised comfort. Features Single panoramic lens glasses Extendable side arms for secure and comfortable fit Excellent side protection Moulded side shield and browguard for optimised protection against impacts | € 4.76 | 10 | pcs | € 47.60 | 1~2W | |

Face Protector Quotation_Factory/Company

NEW PRICE
NEW ITEM





JM Euro s.r.o.
2022-11-23

| No. | Item | Photo | Code, Spec. | Quotation (부가세미포함) | Qty (MOQ) | Unit | Amount | L/T | Remark |
|-----|---------------------------------|---|--|-----------------------|--------------|------|----------|----------|--------|
| 29 | 3M Full Face Mask - 6000 Series |  | full face mask with two filters provides a more balanced seal than a mask with one heavy filter in the front reduces breathing resistance improves the field of view 3M filter bayonet clamping system for secure and secure filter attachment soft and light elastomeric facial part uses all existing 2000, 5000 series filters and most 6000 series filters | € 114.09 | 2 | pcs | € 228.18 | 0.5~1.5W | |
| 30 | Filter 3M 5911 |  | filter against solid and liquid particles suitable for all 3M 6000 and 7000 series masks a 3M 501 filter holder must be used for separate attachment of 5000 series filters (ie without combination with 6000 series filters) to 3M masks it is necessary to use an additional 3M 603 platform recommended areas of use: construction, stonework, production of drugs and chemicals, agriculture, wood industry | € 2.17 | 100 | pcs | € 217.10 | 0.5~1.5W | |
| 31 | 3M Half mask |  | half mask with two filters provides a more balanced seal than a mask with one heavy filter in the front reduces breathing resistance improves the field of view 3M filter bayonet clamping system for secure and secure filter attachment soft and light elastomeric facial part sizes: S (6100), M (6200), L (6300) | € 17.74 | 5 | pcs | € 88.70 | 0.5~1.5W | |
| 32 | Filter 3M 6051 |  | filter against organic gases and vapors suitable for all 3M 6000 and 7000 series masks recommended areas of application: work with conventional paints, production of means of transport, production and use of paints and inks, processing of adhesives, production and processing of rubber in two variants: classic (F4014) and with life indicator (F4014 / i) the price is for 1 pair | € 10.41 | 10 | pair | € 104.09 | 0.5~1.5W | |

Face Protector Quotation_Factory/Company

NEW PRICE
NEW ITEM

JM Euro s.r.o.
2022-11-23

| No. | Item | Photo | Code, Spec. | Quotation (부가세미포함) | Qty (MOQ) | Unit | Amount | L/T | Remark |
|-----|-----------------------------------|---|--|-----------------------|--------------|------|------------|--------|--|
| 33 | Filter 3M 2138 |  | <p>filter against liquid and solid particles with activated carbon</p> <p>protection against organic and acid gases and vapors under NPK-P and ozone suitable for all 3M 6000 and 7000 series masks</p> <p>recommended areas of use: chemical industry, pharmaceutical industry, wood production, food industry</p> <p>price listed is for 1 pair</p> | € 9.64 | 50 | pair | € 481.88 | 1~1.5W | |
| 34 | welding apron |  | <p>split cowleather welding bib apron(60*91cm)</p> <p>EN ISO 11611:2015 CLASS 2/A1+A2</p> <p>TÜV BP 60132827 0001</p> <p>TÜV 60150123 001</p> <p>KEVLAR® 3 ply</p> <ul style="list-style-type: none"> - Side split cow leather - Leather thickness: min. 1 mm. - Self-balancing strap system | € 29.92 | 10 | pcs | € 299.20 | 1~2W | various type of high quality apron JM Euro can supply |
| 35 | black fiber glass welding blanket |  | <p>Color: Black</p> <p>spec.: 1.83M(witdh)*45Meter, Roll Type</p> <p>made of silica fabric at ± 800 grams/m²</p> <p>intended to withstand a temperature of ± 550°C</p> | € 1,120.28 | 1 | roll | € 1,120.28 | 1~1.5W | 롤 커팅 후 소량판 매도 가능함 불티방지포(롤) TUV test Report |
| 36 | gold fiber glass welding blanket |  | <ul style="list-style-type: none"> - This welding blanket is made of fiberglass at ± 1.000 grams/m², with a gold/yellow color coating with on one side acryl coating and on the other side neoprene coating. - This welding blanket is intended to withstand a temperature of ± 550°C. - The welding blankets which are made of gold fiber glass | € 1,374.49 | 1 | roll | € 1,374.49 | 1~1.5W | ISO 9150:1988-12 TÜV 21278287 001 |

Face Protector Quotation_Factory/Company

NEW PRICE
NEW ITEM

JM Euro s.r.o.
2022-11-23

| No. | Item | Photo | Code, Spec. | Quotation (부가세미포함) | Qty (MOQ) | Unit | Amount | L/T | Remark |
|-----|----------------------------------|---|--|-----------------------|--------------|------|-----------|--------------|---|
| 37 | 3M™ EAR™ Banded plugs |  | <ul style="list-style-type: none"> • 26 dB • Maximum comfort • Foam plugs are replaceable for better hygiene and greater savings and can be ordered separately (3M™ 1311) Unrivaled flexibility 3M™ elastic band 1310 helps maintain constant pressure, regardless of head size . | € 1.99 | 20 | pcs | € 39.76 | 0.5~1.5W | |
| 38 | earplugs |  | earplugs with rounded front end soft PU foam, low pressure on the wall of the ear canal earplug with connecting thread | € 0.38 | 100 | pcs | € 37.50 | ? | |
| 39 | earplugs |  | earplugs with rounded front end soft PU foam, low pressure on the ear canal wall material: polyurethane foam, color: yellow standard: EN 352-2, SNR attenuation: 36 dB | € 0.12 | 100 | pair | € 12.00 | ? | |
| 40 | Ear Plug Dispenser Refill Pack |  | Disposable ear plugs made from soft PU foam. Easy to fit Excellent attenuation rate CE certified. CE-CAT III This product is sold in inner boxes 500pair/pack | € 41.47 | 1 | pack | € 41.47 | Mid. of Nov. | |
| 41 | Ear Plug + Dispenser Refill Pack |  | Plastic dispenser with 500 pairs of ear plugs included Wall mountable for secure storage Easy to use turn wheel to dispense ear plugs Can stand on even surfaces | € 76.05 | 1 | SET | € 76.05 | 1~1.5W | Honeywell dispenser with earplug package 1 set same price ! |
| 42 | shell hearing protector |  | material: stainless steel wire, PVC, acetate, ABS, polyether standard: EN 352-1 SNR attenuation: 27 dB | € 17.02 | 5 | pcs | € 85.12 | 0.5~1.5W | 3M Peltor 헬멧 탈착용 공급함 |
| | discount | | | | 1 | time | -€ 355.70 | | 3,000€~ : 5% |

Face Protector Quotation_Factory/Company

NEW PRICE
NEW ITEM

JM Euro s.r.o.
2022-11-23

| No. | Item | Photo | Code, Spec. | Quotation (부가세미포함) | Qty (MOQ) | Unit | Amount | L/T | Remark |
|-----|-----------------|-------|--|-----------------------|--------------|------|---------|-----|--|
| | Delivery Charge | | To Slovakia/ Hungary/ Poland/ Czech 10€/BOX ~ 120€/PALLET express 단독차량 160~190€ 1DAY | € 35.00 | 1 | Ship | € 35.00 | | 1,000€~ : Free (부피)중량물 제외 (예:보루, 헬멧,라바콘 등) |

EXW Trnava(SK)

€ 6,793.30

Payment : In Advance

If the qty is changed , probably the price will be changed

Leading Time; counting after payment confirmation

<https://www.jmeuro.com/faceprotector>